

**To:** Cooper, TiffanyD[Cooper.TiffanyD@epa.gov]  
**Cc:** Esposito, Karen[esposito.karen@epa.gov]; Haye, Kellee[haye.kellee@epa.gov]; Wagner, Christine[Wagner.Christine@epa.gov]; [Nonresponsive based on revised scope]@tetrattech.com]  
**From:** [Nonresponsive based on revised scope]@tetrattech.com]  
**Sent:** Wed 4/6/2022 12:26:30 AM (UTC)  
**Subject:** RE: TD: Shiloh Church Removal Phase 2 - 04-SSID change noted  
wagner-ShilohChurchRemovalPhase2-04.pdf

Tiffany,

Thank you for the attached (1) Shiloh Removal Phase 2 Amend 4. Change in SSID noted.

Thanks,

[Redacted]

**Nonresponsive based on revised scope**

*This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.*

---

**From:** Cooper, TiffanyD <Cooper.TiffanyD@epa.gov>  
**Sent:** Monday, April 4, 2022 12:17 PM  
**To:** [Nonresponsive based on revised scope]@tetrattech.com>  
**Cc:** Esposito, Karen <esposito.karen@epa.gov>; Haye, Kellee <haye.kellee@epa.gov>; Wagner, Christine <Wagner.Christine@epa.gov>  
**Subject:** TD: Shiloh Church Removal Phase 2 - 04

**⚠ CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Good Afternoon,

Please see attached the signed TD for the following site:

Shiloh Church Removal Phase 2

Best Regards,

Tiffany D. Cooper  
Contract Specialist/Contracting Officer  
Contracts Management Section | Acquisition and Assistance Branch | 3MD21  
U.S. EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
215-814-5328